T NT1	77.1 L	Conrob Mout	DB	Time stamp
L Number	Hits 1025	Search Text (@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 17:15
⁻	1025		USPAT; US-PGPUB;	2004/03/2/ 1/:15
		@prad<20010604) and (printer with secure)	EPO	
	140	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/30 18:57
-	140	'	USPAT; US-PGPUB;	2004/03/30 10:3/
		<pre>@prad<20010604) and (printer with encrypt\$3 with (ID or identif\$4))</pre>	EPO	
_	4	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 07:30
· -	4	(@ad<20010604 or @riad<20010604 or	US-PGPUB;	2004/09/23 07:30
		language with encrypt\$3)	EPO	
_	2716	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/30 14:10
	2/10	@prad<20010604 or effad<20010604 of effad<200106	US-PGPUB;	2004/03/30 14.10
		with encryption)	EPO	
	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 13:59
		@prad<20010604) and ((choos\$3 or select\$3)	US-PGPUB;	
		with encryption with "from")	EPO EPO	
_	29	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 07:35
		@prad<20010604) and 380/246.ccls.	US-PGPUB;	
			EPO	
_	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 08:36
		@prad<20010604) and (printer with	US-PGPUB;	
		encrypt\$3 with (ID or identif\$4)) and	EPO	
		380/246.ccls.		
-	283	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 08:37
		@prad<20010604) and (printer same	US-PGPUB;	· ·
		encrypt\$3 same (communication tranfer))	EPO	
-	92	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 08:38
		Oprad<20010604) and (printer same	US-PGPUB;	
.		encrypt\$3 same (communication tranfer))	EPO	
	100	and (380/\$.ccls. 713/\$380.ccls.)	IICDAM.	2004/09/23 08:40
-	193	(@ad<20010604 or @rlad<20010604 or	USPAT; US-PGPUB;	2004/09/23 08:40
		<pre>@prad<20010604) and (encrypt\$3 with (select\$3 or choos\$3) with (communication</pre>	EPO	
		tranfer)) and (380/\$.ccls. 713/\$380.ccls.)	550	
_	18	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 10:00
	10	(ead<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<20010604 OF effad<2	US-PGPUB;	
1		(select\$3 or choos\$3 or indicat3) with	EPO EPO	
		(communication tranfer) with (ID or		
		identification or flag)) and (380/\$.ccls.		
		713/\$380.ccls.)		
_	4	("5917947" "5930825" "6003065"	USPAT;	2004/09/23 08:49
,		5,509,074).pn.	US-PGPUB;	
			EPO	*
-	1	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 10:01
		@prad<20010604) and (encrypt\$3 with	US-PGPUB;	
.		algorithm\$1 with (select\$3 or choos\$3 or	EPO	
		indicat3) with (communication tranfer)		
·		with (ID or identification or flag)) and		
		(380/\$.ccls. 713/\$380.ccls.)	TICDAE:	2004/00/22 14:16
-	1	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:16
!		@prad<20010604) and (encrypt\$3 same	US-PGPUB;	
		algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)	EPO	
,		with (ID or identification or flag)) and		
		(380/\$.ccls. 713/\$380.ccls.)		
	13		USPAT;	2004/09/23 14:59
,	13	(ead\20010604\01\ellad\20010604\01\	US-PGPUB;	2301,03,23 14.33
,		algorithm\$1 with (select\$3 or choos\$3 or	EPO EPO	
,		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)		
	9	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 11:44
		@prad<20010604) and (encrypt\$3 same	US-PGPUB;	
		algorithms with (select\$3 or choos\$3 or	EPO	
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)		

_	6	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 11:44
		@prad<20010604) and (encrypt\$3 same	US-PGPUB;	
		algorithms with (select\$3 or choos\$3 or	EPO	
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)) not		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 adj1		
		algorithm\$1 with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		
	16106	and (380/\$.ccls. 713/\$380.ccls.))	Hann	2004/00/22 11-51
_	16196	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 11:51
		@prad<20010604) and (decrypt\$3 same	US-PGPUB;	1
		algorithms(select\$3 or choos\$3)) and (380/\$.ccls. 713/\$380.ccls.) not	EPO	
		(((@ad<20010604 or @rlad<20010604 or		1
		((\text{@ad<20010604} of \text{@frad<20010604} of \text{@frad<20010606} of @frad<2001060	†	
		algorithm\$1 with (select\$3 or choos\$3 or	1	
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.))		
		((@ad<20010604 or @rlad<20010604 or		
		((@dd<20010604 or @flad<20010604 or	1	
]		algorithms with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))	1	
		and (380/\$.ccls. 713/\$380.ccls.)))	1	
1_	75	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 11:53
	,,	@prad<20010604 of @ffad<20010604 of @ffad<200106	US-PGPUB;	2001,05/20 11.05
		algorithms with (select\$3 or choos\$3)) and	EPO EPO	ł
		(380/\$.ccls. 713/\$380.ccls.) not		ł
		(((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 adj1		
		algorithm\$1 with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.))		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 same		
		algorithms with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)))		
_	7	(@ad<20010604 or @rlad<20010604 or	USPAŢ;	2004/09/23 12:09
		@prad<20010604) and ((decrypt\$3 or	US-PGPUB;	
		encrypt\$3) same print\$3 same algorithms	EPO	1
		with (select\$3 or choos\$3)) and		
		(380/\$.ccls. 713/\$380.ccls.) not		
,		(((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 adj1	1	
		algorithm\$1 with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.))		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 same		
		algorithms with (select\$3 or choos\$3 or indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)))		
_	393	and (380/\$.ccis. /13/\$380.ccis.)) (@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:00
-	393	(ead<20010604 of effad<20010604 of effad<20010	US-PGPUB;	2004/03/23 14.00
		(decrypt\$3 or encrypt\$3) same print\$3) and	EPO	
		(380/\$.ccls. 713/\$380.ccls.) not	== =	
		(((@ad<20010604 or @rlad<20010604 or		
		(((ead<20010604 01 e11ad<20010604 01 e11ad<20010606 01 e11ad<2001060606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad<2001060606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad<20010606 01 e11ad		
		algorithm\$1 with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.))		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 same		
		algorithms with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)))	· .	

-	309	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 12:11
		@prad<20010604) and (printer same		
		(decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) not		
		(((@ad<20010604 or @rlad<20010604 or		
*		@prad<20010604) and (encrypt\$3 adj1		
		algorithm\$1 with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer))		· ·
		and (380/\$.ccls. 713/\$380.ccls.))		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 same		
		algorithms with (select\$3 or choos\$3 or		
		indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)))		
,	34	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 12:55
		@prad<20010604) and (printer same		
		(decrypt\$3 or encrypt\$3) same print\$3) and		
	ļ	(380/\$.ccls. 713/\$380.ccls.) and		·
		(print\$3).ti.		
_	0	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 12:33
		@prad<20010604) and (printer adj		
_	2	decrypts).ti. (@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 12:41
		(ead<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<20010604 of effad<2	JOLAI	2003/03/23 12.41
		decrypts).ab.		
-	5	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 12:43
	1	@prad<20010604) and ("4881264" "5196840"		
		"5633932" "5699493" "6378070").pn.		
-	8	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 12:52
		@prad<20010604) and (encrypt decrypts).ab.		
	0	and (Hewlett-packard).as. (sound adj volume adj is adj locked).ab.	USPAT;	2004/09/23 12:56
-		(Sound ad) volume adj is adj locked).ab.	US-PGPUB;	2004/09/23 12:30
			EPO	
_	0	"2000261264"	USPAT;	2004/09/23 12:57
			US-PGPUB;	,
			EPO	
-	4348469	@ad<=19990311 or @rlad=19990311 or	USPAT;	2004/09/23 13:02
		@prad=19990311	US-PGPUB;	
	2481	 @ad=19990311 or @rlad=19990311 or	EPO USPAT;	2004/09/23 13:19
	2401	end=19990311	US-PGPUB;	2004/03/23 13.13
		tpida 19990311	EPO	
_	0	JP and "2000261264"	USPAT;	2004/09/23 13:40
			US-PGPUB;	
			EPO	
-	2	uehigashi.in. & volume	JPO;	2004/09/23 13:59
	F 2	(And < 20010 COA or Ard = 4 < 20010 COA	DERWENT	2004/00/22 12-50
-	53	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (lipky leppek).in.	USPAT; US-PGPUB;	2004/09/23 13:59
	1	GPIGG-20010004, and (IIPAY Teppek).III.	EPO	
_	8	(lipky leppek).in. and (380/\$.ccls.	USPAT;	2004/09/23 14:16
	l	713/\$380.ccls.)	US-PGPUB;	,
			EPO	
-	226	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:17
		@prad<20010604) and (printer same decrypt)	US-PGPUB;	
]	(0.1,00010604	EPO	0004/00/02 14 15
-	147	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:17
	,	@prad<20010604) and (printer with decrypt)	US-PGPUB; EPO	
_	9	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:24
		@prad<20010604) and (printer adj decrypts)	US-PGPUB;	
	1		EPO	
-	131	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:28
		@prad<20010604) and (printer near4	US-PGPUB;	
	_	algorithms)	EPO	0004/00/00 01 01
_	1	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:31
		@prad<20010604) and (printer near4 algorithms) and 713/\$.ccls.	US-PGPUB; EPO	
_	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:31
		@prad<20010604) and (printer near4	US-PGPUB;	
		algorithms) and 713/201.ccls.	EPO	
	-		·	<u> </u>

	176	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 14:32
	1,0	@prad<20010604) and ((encrypt\$3 or	US-PGPUB;	
		decrypt\$3) near4 algorithms) and	EPO	
		713/201.ccls.		
_	125	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 14:40
		@prad<20010604) and ((encrypt\$3 or		
		decrypt\$3) near4 algorithms) and		
		713/201.ccls.		
-	17	(@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/23 14:41
		@prad<20010604) and (decryption adj		
		algorithms) and 713/201.ccls.		
- .	1	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 15:02
		@prad<20010604) and ((decrypt\$3 encrypt\$3)	US-PGPUB;	
1		adj1 algorithms same (select\$3 or choos\$3	EPO	
		or indicat3) same (communication tranfer)		
		same (identifier ID))		
_	22	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 15:50
		@prad<20010604) and ((decrypt\$3 encrypt\$3)	US-PGPUB;	
		adj1 algorithms same (communication	EPO	
	1.00	tranfer) same (identif\$3 ID))	HGDAM.	2004/09/23 15:54
-	169	(@ad<20010604 or @rlad<20010604 or	USPAT; US-PGPUB;	2004/09/23 15:54
		<pre>@prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same(identif\$3 ID)) not</pre>	EPO	
		((@ad<20010604 or @rlad<20010604 or	EFO	
		(read<20010604 of effact20010604 of (prad<20010604 of effact20010604 of		
		adil algorithms same (communication		
		tranfer) same (identif\$3 ID)))		
_	141	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 15:56
		@prad<20010604) and ((decrypt\$3 encrypt\$3)	US-PGPUB;	
		adj1 algorithms with (select\$3 or choos\$3	EPO	
	,	or find\$3 or indicat\$3)) not		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and ((decrypt\$3 encrypt\$3)		
1		adj1 algorithms same (communication		
		tranfer) same (identif\$3 ID)))		

_	26	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/23 15:57
	İ	<pre>@prad<20010604) and ((decrypt\$3 encrypt\$3)</pre>	US-PGPUB;	
		adj1 algorithms with (select\$3 or choos\$3	EPO	1
		or find\$3 or indicat\$3)) not		
		((@ad<20010604 or @rlad<20010604 or		
		<pre>@prad<20010604) and ((decrypt\$3 encrypt\$3)</pre>		
		adj1 algorithms same (communication		
		tranfer) same (identif\$3 ID)))) not		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and ((decrypt\$3 encrypt\$3)		
		adj1 algorithms same(identif\$3 ID)) not ((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604 of @flad<20010604 of @flad<20010606 of @flad<20010604 of @flad<200106		
		adj1 algorithms same (communication		
		tranfer) same (identif\$3 ID)))) not		
		((@ad<20010604 or @rlad<20010604 or		
		Oprad<20010604 of Crinter adj		
		decrypts).ab.) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(printer adj decrypts).ti.) not		-
	·	((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (printer same		
		(decrypt\$3 or encrypt\$3) same print\$3) and		
		(380/\$.ccls. 713/\$380.ccls.) and		1.
		(print\$3).ti.) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
·		(printer same (decrypt\$3 or encrypt\$3)		
		same print\$3) and (380/\$.ccls.		
		713/\$380.ccls.) not (((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(encrypt\$3 adj1 algorithm\$1 with (select\$3		
		or choos\$3 or indicat3) with		
		(communication tranfer)) and (380/\$.ccls.		
		713/\$380.ccls.)) ((@ad<20010604 or	1	
		@rlad<20010604 or @prad<20010604) and		
:		(encrypt\$3 same algorithms with (select\$3		
	1	or choos\$3 or indicat3) with		
		(communication transfer)) and (380/\$.ccls.		
		713/\$380.ccls.)))) not ((@ad<20010604 or	,	
	*	@rlad<20010604 or @prad<20010604) and		
		(printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls.		
		713/\$380.ccls.) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(encrypt\$3 adj1 algorithm\$1 with (select\$3		
		or choos\$3 or indicat3) with		
		(communication tranfer)) and (380/\$.ccls.		
		713/\$380.ccls.)) ((@ad<20010604 or		
	1	@rlad<20010604 or @prad<20010604) and		
		(encrypt\$3 same algorithms with (select\$3		
		or choos\$3 or indicat3) with		
		(communication tranfer)) and (380/\$.ccls.		
		713/\$380.ccls.)))) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		((decrypt\$3 or encrypt\$3) same print\$3	1	
		same algorithms with (select\$3 or		[-
		choos\$3)) and (380/\$.ccls. 713/\$380.ccls.)		
		not (((@ad<20010604 or @rlad<20010604 or		
		<pre>@prad<20010604) and (encrypt\$3 adj1</pre>		
ļ		algorithm\$1 with (select\$3 or choos\$3 or		1
		indicat3) with (communication tranfer))		1
1		and (380/\$.ccls. 713/\$380.ccls.))		
1		((@ad<20010604 or @rlad<20010604 or		
		<pre>@prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or</pre>		
1	†	indicat3) with (communication tranfer))		
		and (380/\$.ccls. 713/\$380.ccls.)))) not		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (decrypt\$3 same		
		algorithms with (select\$3 or choos\$3)) and		
		(380/\$.ccls. 713/\$380.ccls.) not		
		(((@ad<20010604 or @rlad<20010604 or		
Garage VV	<u> </u>	Aprade 20010604) and (on grunt \$3 add 1		
Search His		[/a]/doriffhms] With (selects or chooss or		
C:\APPS\E	AST\Workspa	GARINGACO) WITH NEOMHARANDAT IDH E LANGUAN)		
		and (380/\$.ccls. 713/\$380.ccls.))		1
1	1	1 / 10 1 00040001 0 1 1 00040001	1	,

		· · · · · · · · · · · · · · · · · · ·	_	
_	7	(@ad<2001604 or @rlad<2001604 or	USPAT;	2004/09/25 10:35
		@prad<2001604) and printer	US-PGPUB;	
	i	•	EPO	
<u>-</u>	3184	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:42
	3101	@prad<20010604)) and (printer with	US-PGPUB;	2001,03,20 10.12
			EPO	
		(description adj languge) (PDL or	EPO	
	_	Postcript))	l	0001/00/05 10 05
-	2	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:37
		@prad<20010604)) and ((printer with	US-PGPUB;	
		(description adj languge) (PDL or	EPO	
	j	Postcript)) same (DMA or direct adj access		
		adj memory)).ab.		•
_	194	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:38
	1 174		US-PGPUB;	2004/03/23 10:30
		@prad<20010604)) and ((printer with	1	
		(description adj languge) (PDL or	EPO	
		Postcript)) same (DMA or direct adj access	İ	
	· /	adj memory))		•
-	114	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 10:38
		@prad<20010604)) and ((printer with		
		(description adj languge) (PDL or		
		Postcript)) same (DMA or direct adj access	,	
		adj memory))		
	223		HCDAT.	2004/09/25 10:43
-	222	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:43
		@prad<20010604)) and (printer with	US-PGPUB;	
	i	(description adj languge) (PDL or	EPO	*
		Postcript) with (change or transfer))		
-	206	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:43
		@prad<20010604)) and (printer with	US-PGPUB;	
		(description adj languae) (PDL or	EPO	
		Postcript) with (change or convert))	220	
	0	((@ad<20010604 or @rlad<20010604 or	USPAT; '	2004/09/25 10:44
-	"		1	2004/09/25 10.44
		@prad<20010604)) and (printer with	US-PGPUB;	
		(description adj languge) (PDL or	EPO	
		Postcript) with (chang\$3 or convert\$3))		
		with (printer).ti.		
· _	53	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:48
		@prad<20010604)) and (printer with	US-PGPUB;	
		(description adj languge) (PDL or	EPO	
		Postcript) with (chang\$3 or convert\$3))		
		and (printer).ti.		
			HCDAM.	2004/09/25 10:48
_	. 0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:48
		@prad<20010604)) and (printer with to adj	US-PGPUB;	
1		((description adj languge) (PDL or ,	EPO	
		Postcript)) with (chang\$3 or convert\$3))		
	· '	and (printer).ti.		
-	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:48
		@prad<20010604)) and (printer with to adj	US-PGPUB;	
	,	((description adj languge) (PDL or	EPO EPO	
1		Postcript)) with (chang\$3 or convert\$3))		
	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:48
1				2004/05/25 10:48
		@prad<20010604)) and (printer with to adj	US-PGPUB;	1
	i	((description adj languge) (PDL or	EPO	İ
		Postcript)))		
-	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:49
		@prad<20010604)) and (printer with to adj2	US-PGPUB;	
1		((description adj languge) (PDL or	EPO	
		Postcript)))		
_	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:49
	I		1	2004/03/23 10:49
		@prad<20010604)) and (printer same to adj2	US-PGPUB;	
		((description adj languge) (PDL or	EPO	
		Postcript)))		
-	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:49
		@prad<20010604)) and (printer same "to"	US-PGPUB;	1
		adj2 ((description adj languge) (PDL or	EPO	l
		Postcript)))		
_	11	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:52
1		(ead<20010004 Of effad<20010004 Of effad<20010004 Of effad<20010004 Of effad<20010004 Of effad<20010004 Of effad<200100004 Of effad<20010000004 Of effad<20010000000000000000000000000000000000	US-PGPUB;	2004/05/25 10:52
		receives adj1 ((description adj languge)	EPO	1
		(PDL or Postcript)))		

-	11	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 10:53
		@prad<20010604)) and (computer with sends	US-PGPUB;	
		adj1 ((description adj languge) (PDL or Postcript)))	EPO	
-	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 11:03
		@prad<20010604)) and (computer with sends	US-PGPUB;	
		adj1 ((description adj languge) (PDL or	EPO	
	27.00	Postcript)) with encrypt\$3)	Hanam	2004/00/25 13 0:
_	2762	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with	USPAT; US-PGPUB;	2004/09/25 11:04
		printer with communication)	EPO	
_	314	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 11:04
		@prad<20010604)) and (computer with	US-PGPUB;	
	1	printer with communication) and	EPO	
	8	(printer).ti.	IICDAM.	2004/00/25 12:12
_	l a	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with	USPAT; US-PGPUB;	2004/09/25 12:10
		printer with communication with language)	EPO	
		and (printer).ti.		
	0	("08782391" "08968925" "09208978").pn.	USPAT;	2004/09/25 11:13
			US-PGPUB;	
	3	(463063404 460316064 460007004)	EPO	2004/00/25 11 11
_	3	("6385348" "5931586" "6288789").pn.	USPAT; US-PGPUB;	2004/09/25 11:14
			EPO	
_	113	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 11:22
		@prad<20010604)) and (computer with	US-PGPUB;	
		printer with language) and (printer).ti.	EPO	0004/00/25 15 5
	90	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 11:25
		<pre>@prad<20010604)) and (computer with printer with language) and (printer).ti.</pre>		
-	0	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 12:10
		@prad<20010604)) and (computer with print		
		adj spooler with language) and		
	_	(printer).ti.	HODAE	2004/00/25 11 26
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with	USPAT	2004/09/25 11:26
		spooler with language) and (printer).ti.		1
_	18	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 11:26
		@prad<20010604)) and (computer with		
	_	spooler) and (printer).ti.		0004400455
_	2	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with print	USPAT	2004/09/25 12:00
		adj spooler with language)		
-	1	6167514.pn.	USPAT	2004/09/25 12:00
_	0	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 12:11
	-	@prad<20010604)) and (computer with	US-PGPUB;	
		printer with communication with (pcl or	EPO	
_	1	pdf or xml) with format) and (printer).ti. ((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 16:51
	ı	@prad<20010604)) and (computer with	US-PGPUB;	2004,05/25 10.51
,		printer with communication with (pcl or	EPO	
	ا	pdf or xml)) and (printer).ti.		
-	257677	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 16:52
		@prad<20010604)) and ((flag or id)	US-PGPUB;	
1	117	encrypt\$3 adj algorithm) ((@ad<20010604 or @rlad<20010604 or	EPO USPAT;	2004/09/25 16:54
	11/	(ead<20010004 Of effad<20010004 Of effad<200100004 Of effad<200100004 Of effad<200100004 Of effad<200100004 Of effad<200100004 Of effad<2001000004 Of effad<20010000000000000000000000000000000000	US-PGPUB;	0004,09/23 10.34
		encrypt\$3 adj algorithm)	EPO EPO	
-	49	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 17:00
		@prad<20010604)) and ((flag or id or	US-PGPUB;	
]		identification) near3 encrypt\$3 adj algorithm)	EPO	
_	13	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/25 17:00
		(20010604 of effact20010004 of effact20010604 of effact20010604 of effact20010004 of effact20010004 of effact20010004 of effact200100004 of effact200100004 of effact20010000000000000000000000000000000000	US-PGPUB;	2501,05,25 17.00
	-	identification) near3 encrypt\$3 adj	EPO .	
.		algorithm with (transfer\$3 or send\$3 or		
	2.5	receiv\$3))	HODE	0004/00/05 15 55
-	37	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((flag or id or	USPAT	2004/09/25 17:00
		identification) near3 encrypt\$3 adj		
		algorithm)		
			ı <u></u>	1

Γ	18	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 19:00
	10	@prad<20010604)) and ((indicat\$3) near3	USTAT	2004/03/23 19.00
		encrypt\$3 adj algorithm)		
-	74	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 19:19
]		@prad<20010604)) and (encrypt\$3 same		
		algorithms).ab. not ((6240183.PN. and		
1		(((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604)) and ((indicat\$3) near3		
		encrypt\$3 adj algorithm))) (((@ad<20010604		•
		or @rlad<20010604 or @prad<20010604)) and		
		((indicat\$3 or specif\$2) near3 encrypt\$3		
		adj algorithm)) (((@AD<20010604 OR		
		@RLAD<20010604 OR @PRAD<20010604)) AND		-
		((INDICAT\$3 OR SPECIF\$2) NEAR3 ENCRYPT\$3		
		ADJ ALGORITHM) AND (709/\$).CCLS.)	1	
Ì		(((@AD<20010604 OR @RLAD<20010604 OR		
		@PRAD<20010604)) AND (ENCRYPT\$3 ADJ		
		ALGORITHM SAME ALGORITHMS) AND (709/\$).CCLS.))		
	2415	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 19:19
	2413	((ead<20010604 of effact20010604 of	OSEAL	2004/03/23 13:19
		algorithms) not ((6240183.PN. and		
		(((@ad<20010604 or @rlad<20010604 or	}	
		(\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(1	
,		encrypt\$3 adj algorithm))) (((@ad<20010604		
		or @rlad<20010604 or @prad<20010604)) and		
		((indicat\$3 or specif\$2) near3 encrypt\$3		
		adj algorithm)) (((@AD<20010604 OR		
1		@RLAD<20010604 OR @PRAD<20010604)) AND		
		((INDICAT\$3 OR SPECIF\$2) NEAR3 ENCRYPT\$3		
		ADJ ALGORITHM) AND (709/\$).CCLS.)		
İ		(((@AD<20010604 OR @RLAD<20010604 OR		
		@PRAD<20010604)) AND (ENCRYPT\$3 ADJ		
		ALGORITHM SAME ALGORITHMS) AND		·
]	_	(709/\$).CCLS.))		
_	0	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 19:19
ĺ		@prad<20010604)) and (encrypt\$3 same		
		algorithm same speficif\$3) not		
		(((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604)) and ((indicat\$3 or		
		specif\$2) near3 encrypt\$3 adj algorithm)) not (((@ad<20010604 or @rlad<20010604 or		
		Oprad<20010604 of Gridd<20010604 of Gridd<20010604 of Gridd		
1		specif\$2) near3 encrypt\$3 adj algorithm)		
	1	and 709/\$.ccls.) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604)) and		
		(encrypt\$3 adj algorithm same algorithms)		
		and 709/\$.ccls.)	,	
_	0	((@ad<20010604 or @rlad<20010604 or	USPAT	2004/09/25 19:18
		@prad<20010604)) and (encrypt\$3 same	,	
		algorithm with speficif\$3) not		
		(((@ad<20010604 or @rlad<20010604 or		
		<pre>@prad<20010604)) and ((indicat\$3 or</pre>		
		<pre>specif\$2) near3 encrypt\$3 adj algorithm))</pre>		
		not (((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604)) and ((indicat\$3 or		
		specif\$2) near3 encrypt\$3 adj algorithm)		
		and 709/\$.ccls.) not (((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604)) and		
		(encrypt\$3 adj algorithm same algorithms) and 709/\$.ccls.)		
	1	Land 100/9.CCID.)	1	I

_	4195	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 same	USPAT	2004/09/25 19:18
1		algorithm speficif\$3) not ((@ad<20010604		
		or @rlad<20010604 or @prad<20010604)) and		
		((indicat\$3 or specif\$2) near3 encrypt\$3		
1		adj algorithm)) not (((@ad<20010604 or]
		@rlad<20010604 or @prad<20010604)) and		
		((indicat\$3 or specif\$2) near3 encrypt\$3		
		adj algorithm) and 709/\$.ccls.) not		
		(((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604)) and (encrypt\$3 adj		
		algorithm same algorithms) and		
		709/\$.ccls.)		
	0		USPAT	2004/09/25 19:17
	_	@prad<20010604)) and (encrypt\$3 adj		
		algorithms same (algorithm with use)) and		, , , , , , , , , , , , , , , , , , ,
		709/\$.ccls. not (((@ad<20010604 or		:
1		@rlad<20010604 or @prad<20010604)) and		
		((indicat\$3 or specif\$2) near3 encrypt\$3		
		adj algorithm)) not (((@ad<20010604 or		
·		@rlad<20010604 or @prad<20010604)) and		
		((indicat\$3 or specif\$2) near3 encrypt\$3		
		adj algorithm) and 709/\$.ccls.) not		
		(((@ad<20010604 or @rlad<20010604 or		
		(prad<20010604)) and (encrypt\$3 adj		
		algorithm same algorithms) and		·
		709/\$.ccls.)		
	28		USPAT	2004/09/25 19:16
		@prad<20010604)) and (encrypt\$3 adj		
		algorithm same algorithms) and 709/\$.ccls.		
	10	1 2	USPAT	2004/09/25 19:06
	20	(prad<20010604)) and ((indicat\$3 or		
		specif\$2) near3 encrypt\$3 adj algorithm)		
		and 709/\$.ccls.		
_	68	I to the second	USPAT	2004/09/25 19:01
		(prad<20010604)) and ((indicat\$3 or		
		specif\$2) near3 encrypt\$3 adj algorithm)		
		Specific, nears energipeds adj argorithm)	1	

					0004/00/55
_	78	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/09/27 18:40
		@prad<20010604) and ((algorithm adj2			
		identifier)) and $(713/\$ 380/\$)$.ccls. not			
		(((@ad<20010604 or @rlad<20010604 or			
		<pre>@prad<20010604) and (encrypt\$3 same</pre>			-
		((inidicates or indicating) adj2			
		algorithm)) and (380/\$).ccls.)			
		((@ad<20010604 or @rlad<20010604 or			
		<pre>@prad<20010604) and (((inidicates or</pre>			
		indicating) adj2 algorithm)) and			
		(380/\$).ccls. not ((@ad<20010604 or			
		@rlad<20010604 or @prad<20010604) and			
		(encrypt\$3 same ((inidicates or			
		indicating) adj2 algorithm)) and			
		(380/\$).ccls.)) ((@ad<20010604 or			
		@rlad<20010604 or @prad<20010604) and			
1		(encrypt\$3 adj algorithms with used) and			
		(713/150 713/152 713/151).ccls.)			
		((@ad<20010604 or @rlad<20010604 or			
		@prad<20010604) and (encrypt\$3 adj			
		algorithms with used) and 709.clas.)			
		(((@ad<20010604 or @rlad<20010604 or	,		
		@prad<20010604) and (encrypt\$3 adj			
	Í	algorithms)) and 709.clas.) ((@ad<20010604			
		or @rlad<20010604 or @prad<20010604) and			
		(((inidicates or indicating) adj2			
		algorithm)) and (380/\$).ccls. not			·
		((@ad<20010604 or @rlad<20010604 or			
		@prad<20010604) and (encrypt\$3 same			
		((inidicates or indicating) adj2			
	1	algorithm)) and (380/\$).ccls.))	ļ		
		((@ad<20010604 or @rlad<20010604 or			
		@prad<20010604) and (((inidicates or	1		
		indicating) adj2 algorithm)) and			
		(713/\$).ccls. not ((@ad<20010604 or			
		@rlad<20010604 or @prad<20010604) and			
		(encrypt\$3 same ((inidicates or			
		indicating) adj2 algorithm)) and			
•		(380/\$).ccls.) not ((@ad<20010604 or			
		@rlad<20010604 or @prad<20010604) and			
		(((inidicates or indicating) adj2			
		algorithm)) and (380/\$).ccls. not			
		((@ad<20010604 or @rlad<20010604 or			
		@prad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<20010604 of @ffad<200106			
,		((inidicates or indicating) adj2			
•		algorithm)) and (380/\$).ccls.)) not			
	<u> </u>	((@ad<20010604 or @rlad<20010604 or			
	į l	@prad<20010604 of @frad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<20010604 of @prad<200106			
	į l	algorithms with used) and (713/150 713/152			
		713/151).ccls.) not ((@ad<20010604 or			
		@rlad<20010604 or @prad<20010604) and			
		(encrypt\$3 adj algorithms with used) and 709.clas.) not ((@ad<20010604 or			
	ļ				
		@rlad<20010604 or @prad<20010604) and			
		(encrypt\$3 adj algorithms)) and			
	i	709.clas.)))	1		

-	25	(@ad<20010604 or @rlad<20010604 or	USPAT; EPO	2004/09/27 18:39
		<pre>@prad<20010604) and (((specifies specify specifing lists listing) adj2 algorithm))</pre>		
		and (713/\$ 380/\$).ccls. not		
		(((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 same		
·		((inidicates or indicating) adj2		
		algorithm)) and (380/\$).ccls.)		
		((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or		
		indicating) adj2 algorithm)) and		
		(380/\$).ccls. not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(encrypt\$3 same ((inidicates or		
		indicating) adj2 algorithm)) and		
		(380/\$).ccls.)) ((@ad<20010604 or @rlad<20010604) and		
		(encrypt\$3 adj algorithms with used) and	,	
		(713/150 713/152 713/151).ccls.)		
		((@ad<20010604 or @rlad<20010604 or		
		@prad<20010604) and (encrypt\$3 adj		
		algorithms with used) and 709.clas.)		
	1	(((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj		
		algorithms)) and 709.clas.))		
-	3		USPAT; EPO	2004/09/27 18:35
		@prad<20010604) and (((inidicates or		
		indicating) adj2 algorithm)) and		
		(713/\$).ccls. not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or		
		indicating) adj2 algorithm)) and		
		(380/\$).ccls.) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(((inidicates or indicating) adj2		
		algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or		
		((ead<20010004 01 e11ad<20010004 01 eprad<20010004 eprad<200100004 eprad<200100004 eprad<2001000004 eprad<20010000000000000000000000000000000000		
		((inidicates or indicating) adj2		
		algorithm)) and (380/\$).ccls.)) not		
		((@ad<20010604 or @rlad<20010604 or		
		Oprad<20010604) and (encrypt\$3 adj algorithms with used) and (713/150 713/152		
		713/151).ccls.) not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(encrypt\$3 adj algorithms with used) and		
		709.clas.) not (((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
_	5	(encrypt\$3 adj algorithms)) and 709.clas.) (@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 18:33
]	(ead<20010604 of effad<20010604 of	US-PGPUB;	2004/09/21 10:33
		indicating) adj2 algorithm)) and	EPO	
		(380/\$).ccls. not ((@ad<20010604 or		
		@rlad<20010604 or @prad<20010604) and		
		(encrypt\$3 same ((inidicates or		
		indicating) adj2 algorithm)) and (380/\$).ccls.)		
-	11	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 18:24
		@prad<20010604) and (encrypt\$3 same	US-PGPUB;	
	·	((inidicates or indicating) adj2	EPO	
		algorithm)) and (380/\$).ccls.	HODAT	0004/00/07 10 15
_	2	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 18:19
		<pre>@prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj3</pre>	US-PGPUB; EPO	-
		algorithms)) and (380/\$).ccls.	210	*
-	26	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 18:17
1		@prad<20010604) and (encrypt\$3 adj	US-PGPUB;	
		algorithms with used) and (713/150 713/152	EPO	
_	34	713/151).ccls. (@ad<20010604 or @rlad<20010604 or	HCDAM.	2004/00/27 10-00
	34	(@ad<20010604 or @riad<20010604 or	USPAT; US-PGPUB;	2004/09/27 18:08
		algorithms with used) and 709.clas.	EPO	
	1			

-	89	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj	USPAT; EPO	2004/09/27 17:50
		algorithms)) and 709.clas.		†
_	170	((@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 17:50
	}	@prad<20010604) and (encrypt\$3 adj	US-PGPUB;	*
		algorithms)) and 709.clas.	EPO	
-	1752	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/27 17:53
	}	@prad<20010604) and (encrypt\$3 adj	US-PGPUB;	
		algorithms)	EPO	
_	5	("6768749"	USPAT;	2004/09/28 17:10
		"6549942"	US-PGPUB;	-
		"6236728"	EPO	
		"6557037" "5000137")		
		"5222137").pn. and algorithm\$1	USPAT;	2004/09/28 17:38
-	1	6058187.pn.	US-PGPUB;	2004/03/20 17:30
			EPO	
_	9	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 17:53
		@prad<20010604) and ((file adj1 (ID or	US-PGPUB;	2001, 03, 20 21100
1		identifier or identification)) same	EPO	
		print\$3) and (709/\$.ccls. or 713/\$.ccls.)		· ·
_	4	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 17:54
		@prad<20010604) and ((file adj1 (ID or	US-PGPUB;	
1	1	identifier or identification)) same (PDL	EPO	1
		or "printer description language" or "page		
1	1	description language" or "pdf" or "pcl" or		
		"xml")) and (709/\$.ccls. or 713/\$.ccls.)		
-	1	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 17:54
		@prad<20010604) and ((file adj1 (ID or	US-PGPUB;	
		identifier or identification)) same (PDL	EPO	
	1	or "printer description language" or "page description language" or "pdf" or "pcl" or		
		"xml") and print) and (709/\$.ccls. or		
		713/\$.ccls.)		
l _	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 17:54
		@prad<20010604) and ((file adjl (ID or	US-PGPUB;	2001,03,20 1,101
		identifier or identification)) same (PDL	EPO	·
		or "printer description language" or "page		
		description language" or "pdf" or "pcl" or		
		"xml") same print) and (709/\$.ccls. or		
		713/\$.ccls.)		
-	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 17:55
		@prad<20010604) and ((file adj1 (ID or	US-PGPUB;	
		identifier or identification)) same (PDL	EPO	
		or "printer description language" or "page		
		description language" or "pdf" or "pcl" or		
		"xml") same print) and (709/\$.ccls. or		
		713/\$.ccls.) and (encrypt\$3 or cypher or crypto\$5)		
_	0	Cryptoss (@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 17:57
		(grad<20010604 of effad<20010604 of	US-PGPUB;	2301,03,20 1,.31
		identifier or identification)) and (PDL or	EPO	
		"printer description language" or "page		
		description language" or "pdf" or "pcl" or		
		"xml") same print) and (709/\$.ccls. or		
		713/\$.ccls.) and (encrypt\$3 or cypher or		
1		crypto\$5)		
-	1781	(@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/30 11:02
-		@prad<20010604) and ((file adj1 (ID or	US-PGPUB;	,
1		identifier or identification)) and	EPO	
1		transfer\$3)		
-	24	1 Variable 1 in the contract of the contract o	USPAT;	2004/09/28 17:59
[@prad<20010604) and (((file adj1 (ID or	US-PGPUB;	
		identifier or identification)) and	EPO	
	24	transfer\$3) same printer)	USPAT;	2004/09/28 17:59
_	24	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or	US-PGPUB;	2004/03/20 17:39
		dentifier or identification)) and	EPO	
1	1	Identified of Identification;) and	1 210	I '
l		transfer\$3) same printer)		

-	24	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adjl (ID or identifier or identification)) and	USPAT; US-PGPUB; EPO	2004/09/28 18:11
_	6	transfer\$3) same printer) (@ad<20010604 or @rlad<20010604 or	USPAT;	2004/09/28 18:17
		<pre>@prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3)same (PDL or "printer</pre>	US-PGPUB; EPO	
		<pre>description language" or "page description language" or "pdf" or "pcl" or "xml"))</pre>		
-	458	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3)) and (709/\$.ccls. or	USPAT; US-PGPUB; EPO	2004/09/28 18:26
-	71	713/\$.ccls. or 380/\$.ccls.) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 name)same printer)) and (709/\$.ccls. or 713/\$.ccls.	USPAT; US-PGPUB; EPO	2004/09/28 18:29
-	53	or 380/\$.ccls.) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adjl name)same printer)) and (709/\$.ccls. or 713/\$.ccls.	USPAT; EPO	2004/09/28 18:57
_	337	or 380/\$.ccls.) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print with "postscript")	USPAT; EPO	2004/09/28 18:58
+	48	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((print with	USPAT; EPO	2004/09/28 21:55
-	4	"postscript") same pdl) ("5509074" "5917947" "5930825" "6003065").pn.	USPAT; US-PGPUB; EPO	2004/09/29 10:02
_	1	6167514.pn. and (data or file or id or identification)	USPAT; US-PGPUB; EPO	2004/09/29 14:44
_	1	6058187.pn. and (data or file or id or identification)	USPAT; US-PGPUB; EPO	2004/09/29 17:06
_	451	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file with (name or id))	USPAT; US-PGPUB; EPO	2004/09/29 14:50
-	242	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id))	USPAT; US-PGPUB; EPO	2004/09/29 14:51
-	5	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id)).ab.	USPAT; US-PGPUB; EPO	2004/09/29 16:01
-	16	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab.	USPAT; US-PGPUB; EPO	2004/09/29 15:56
-	11	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab. not ((@ad<20010604 or @rlad<20010604 or @rlad<20010604)	USPAT; US-PGPUB; EPO	2004/09/29 16:00
-	63	(printer with file adj2 (name or id)).ab.) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with (file or data) near2 (name or id)).ab. not	USPAT; US-PGPUB; EPO	2004/09/29 16:01
		((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id)).ab.) not ((@ad<20010604)		
		or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file	·	
		adj2 (name or id)).ab. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or		
-	205	(d) (d) (d) (d) (d) (d) (d) (d) (d) (d)	USPAT; US-PGPUB; EPO	2004/09/29 16:03

-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj1 (name or id)) and (709.ccls. or	USPAT; US-PGPUB; EPO	2004/09/29 16:02
-	144	713.ccls.) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file	USPAT; EPO	2004/09/29 16:08
-	239	adj1 (name or id)) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same print\$3 near4 history)	USPAT; EPO	2004/09/29 16:12
-	130	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print with log with file\$1)	USPAT; EPO	2004/09/29 16:12
_	1	6167514.pn.	USPAT; US-PGPUB; EPO	2004/09/30 14:08
_	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (PDF with postcript)	USPAT; US-PGPUB; EPO	2004/09/30 11:04
_	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (PDL with postcript)	USPAT; US-PGPUB; EPO	2004/09/30 11:04
-	2	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (PDL with postcript)	USPAT; EPO	2004/09/30 20:28
_	2	"6058187"	USPAT; US-PGPUB; EPO	2004/09/30 16:17
_	907	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5))	USPAT; US-PGPUB; EPO	2004/09/30 14:12
_	232	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5)) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/30 14:13
_	143	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5) same (ID or name or identification or identity or information)) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/30 14:13
_	100	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5) same (ID or name or identification or identity or information)) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; EPO	2004/09/30 15:38
_	1	6233338.pn. and printer	USPAT; US-PGPUB; EPO	2004/09/30 16:17
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with encrypt\$3 with (ID or identif\$4 or key) same (punch put))	USPAT; US-PGPUB; EPO	2004/09/30 18:59
-	1	6378070.pn. and key	USPAT; US-PGPUB; EPO	2004/09/30 19:00
_	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print with postcript with format)	USPAT; EPO	2004/09/30 20:28
_	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with	USPAT; EPO	2004/09/30 20:28
-	7	postcript with format) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with	USPAT; EPO	2004/10/01 09:44
_	1122	postcript) (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with "description language")	USPAT; EPO	2004/10/01 09:45
L		Generalization ranguage	<u></u>	

-	75	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	10:45
		@prad<20010604) and (print\$3 with "printer			,	
		description language")			0004/10/01	00.45
- 1	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	09:45
		<pre>@prad<20010604) and (XML with "printer description language")</pre>				-
1_	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	FPO	2004/10/01	09.16
		(gad<20010004 OF GFEdd<20010004 OF	USERI,	EFO	2004/10/01	09.40
		"printer description language")				
_	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	09:46
		@prad<20010604) and ((XML or pcl) NEAR10	·		, ,	
		"printer description language")				
_	3	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	09:47
		@prad<20010604) and ((XML or pcl) same				
		"printer description language")				
-	1	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	10:29
		@prad<20010604) and ((default or standard)				
	24	same "printer description language") (@ad<20010604 or @rlad<20010604 or	USPAT;	EDO	2004/10/01	10.20
	24	(ead<20010604 of effad<20010604 of	USPAI;	EPO	2004/10/01	10:30
		translat\$3) same "printer description				
		language")				-
_	4	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	11:19
		@prad<20010604) and ((convert\$3 or.				
		translat\$3) same "printer description				
		language" with postscript)				İ
-	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	10:33
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" same postscript) not			,	
		((@ad<20010604 or @rlad<20010604 or	-			
		<pre>@prad<20010604) and ((convert\$3 or translat\$3) same "printer description</pre>				
		language" with postscript))				
_	3	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	10.33
		@prad<20010604) and ("printer description	001111,	210	2001, 20, 01	10.00
		language" same postscript) not				
		((@ad<20010604 or @rlad<20010604 or				İ
		@prad<20010604) and ((convert\$3 or			1	
1		translat\$3) same "printer description				
	_	language" with postscript))				
-	7	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	11:23
		@prad<20010604) and (postscript same			,	
	1	"printer description language") 5594860.pn.	USPAT;	E DO	2004/10/01	10.54
	1	5930553.pn.	USPAT:		2004/10/01	
_	886	(@ad<20010604 or @rlad<20010604 or	USPAT;		2004/10/01	
		@prad<20010604) and (print\$3 with	,	2	0000, 20, 02	
		postscript) not (5594860.pn.				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and (postscript same				
		"printer description language"))				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ("printer description				
		language" same postscript) not				İ
		((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or				
	,	translat\$3) same "printer description				
		language" with postscript)))				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				ļ
		translat\$3) same "printer description				
		language" same postscript) not				
1	•	((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" with postscript)))				j
		((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" with postscript)))				
L		3 J	L			

						-
_	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	11:09
		@prad<20010604) and (print\$3 with				
		postscript) not (5594860.pn.	ļ			
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and (postscript same				
	1	"printer description language"))	}			
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ("printer description				
		language" same postscript) not	l			
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" with postscript)))				
	1	((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				
•		translat\$3) same "printer description				
		language" same postscript) not				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or	ļ			
		translat\$3) same "printer description				
		language" with postscript)))				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" with postscript))) and				
		(709.ccls. 713.ccls)				
-	22	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	11:09
	•	@prad<20010604) and (print\$3 with			·	
		postscript with convert) not (5594860.pn.				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and (postscript same				
		"printer description language"))				
		((@ad<20010604 or @rlad<20010604 or]			
		@prad<20010604) and ("printer description	1			
		language" same postscript) not				
		((@ad<20010604 or @rlad<20010604 or	!			
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" with postscript)))				
		((@ad<20010604 or @rlad<20010604 or				`
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
	ŀ	language" same postscript) not				
		((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
	1	language" with postscript)))				
	1	((@ad<20010604 or @rlad<20010604 or				
		@prad<20010604) and ((convert\$3 or				
		translat\$3) same "printer description				
		language" with postscript)))				
-	2603	5594860.pn. postscript	USPAT;		2004/10/01	
-	1	5594860.pn. and postscript	USPAT;		2004/10/01	
_	6		USPAT;	EPO	2004/10/01	11:23
		@prad<20010604) and (postscript with				
		volume)				
-	0	(@ad<20010604 or @rlad<20010604 or	USPAT;	EPO	2004/10/01	11:24
		<pre>@prad<20010604) and (postscript same</pre>				
		volume same "description langauge")				
-	1 6	5594860.pn. and postscript (@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript with volume) (@ad<20010604 or @rlad<20010604 or	USPAT; USPAT;	EPO EPO	2004/10/01 2004/10/01	11:1: 11:2: